

# SimpleConcepts: Support for Constraints on Generic Types in C++

Reed Milewicz

University of Alabama at Birmingham  
Birmingham, AL 35294  
rmmilewi@cis.uab.edu

Marjan Mernik

University of Maribor, Slovenia  
marjan.mernik@uni-mb.si

Peter Pirkelbauer

University of Alabama at Birmingham  
Birmingham, AL 35294  
pirkelbauer@uab.edu

**Abstract**—Generic programming plays an essential role in C++ software through the use of templates. However, both the creation and use of template libraries is hindered by the fact that the language does not allow programmers to specify constraints on generic types. To date, no proposal to update the language to provide concepts has survived the committee process. Until that time comes, as a form of early support, this paper introduces SimpleConcepts, an extension to C++11 that provides support for concepts, sets of constraints on generic types. SimpleConcepts features are parsed according to an island grammar and source-to-source translation is used to lower concepts to pure C++11 code.

**Keywords**—Generic Programming, C++ Templates, C++ Concepts

## I. INTRODUCTION

GENERIC programming is made possible in C++ through the use of templates [1]. Templates are language constructs that operate with generic types and that are instantiated as needed during compile-time [2]. Templates are ubiquitous in many C++ libraries and systems, most notably the Standard Template Library (STL), which provides generic implementations of commonly used containers and related algorithms. Essential to the STL are concepts, which are sets of constraints on types [3]. A type is called a model of a concept if that type satisfies all of its requirements, and templates can impose these concepts on their arguments; this is done to ensure type safety. For example, to be able to sort a list, its elements must support the `==` and `<` operators, and these requirements are expressed by the concepts `EqualityComparable` and `LessThanComparable`. If the concepts associated with a template class or function are not satisfied, then the instantiation of that template code will fail, and a compile-time error will result. It is important to note that concepts are not features of the C++ language, but are rather the products of what Gregor et al. refer to as a "grab-bag of template tricks" [4]. The first issue with concepts as they are currently known is that they do not lend themselves to informative error messages. Violations cannot be reported without exposing the programmer to the details of the implementation. This means that compile-time errors can lead to dense barrages of esoteric error messages that give the programmer little insight into what went wrong. The second issue is that the complex nature of template metaprogramming makes it difficult to map concepts as described in the documentation to the specifics of their implementation. For those who create and maintain generic libraries, this means that it can be extremely difficult

to detect bugs and other issues in their code. The root problem is that the C++ language lacks a construct to perform a vital function, and this forces the developers of generic libraries to resort to bricolage, cobbling together a functional equivalent from whatever materials they have at hand. This satisfies the immediate needs of the developers. However, in that concepts do not formally exist, they cannot be formally reasoned about or analyzed. For users, this is what leads to incomprehensible error messages when they misuse templates. For developers, this means that writing and maintaining template code becomes unnecessarily burdensome. The main contribution of this work is the introduction of SimpleConcepts, a lightweight extension to the C++ language to facilitate that development, maintenance, and usage of generic libraries. SimpleConcepts introduces several useful abstractions that perform the same role as concepts via metaprogramming while being easier to write, read, and formally analyze. This paper is organized as follows. In §II, we characterize the previous work that has been done to help modernize concepts in C++. In §III, we describe the problem domain by investigating how concepts work in generic libraries such as the STL, and in §IV we introduce SimpleConcepts, give justifications for our approach, and show how the functionalities provided by concepts via metaprogramming map to the new model. In §V, we provide formalisms for the syntax and semantics of SimpleConcepts. In §VI, we compare our approach to previous and contemporary alternatives. Finally, in §VII and §VIII we provide discussion, conclusions, and plans for future work.

## II. BACKGROUND

The first comprehensive attempt to provide high level language support for concepts was the development of Tecton, a domain-specific language (DSL) for generic programming that was conceived by Stepanov, Kapur, and Musser in the late 1970s [5]. The work that was done on that language fed into the development of the STL by A. Stepanov [6]. After the Hewlett-Packard implementation of the STL was made publically available in 1994, the language evolved into one that specialized in concept specification, as seen in Musser's technical report in 1998 [7]; Tecton sought to provide a language-independent means of describing constraints on generic types. While it did not see widespread adoption, it did provide a formal framework through which concepts could be understood, laying the foundation for further developments. 1998 also marked the birth of the Boost libraries for C++ [8], and two years later the collection was extended to include the Boost Concept Check Library (BCCL), an effort spearheaded by

Siek [9]. The BCCL is meant to provide clean and accessible mechanisms for programmers to use concepts in generic code, an improvement upon concepts as known in the STL. In the last decade, the goal of researchers shifted away from providing support for concepts in C++ by means of DSLs and library support and towards the incorporation of concepts into the C++ language as an extension. A detailed review of this period has been provided by Voufo and Lumsdaine [10]. The most successful of these movements was ConceptC++, a project which culminated in a proposal to the C++ standardization committee that was not accepted in 2009 for want of simplification and more testing [11] [12]. It is from ConceptC++ and the work done in the intervening period that SimpleConcepts draws much of its inspiration.

### III. DOMAIN ANALYSIS

Here we shall provide a description of concepts as they are known in the C++ Standard Template Library. As previously described, the term concept refers to a set of constraints or requirements on types. For instance, the concept `EqualityComparable` defines what it means for a type `T` to be comparable for equality. In C++, this means that the expressions `a == b` and `a != b` be valid for any two values `a` and `b` of type `T`. In the STL, concepts are implemented as assertions with the help of macros and made use of through statements such as

```
__STL_REQUIRES(X, _EqualityComparable);
```

which checks to see whether the type of a template parameter `X` models the concept `EqualityComparable`. Aside from requiring that a type support certain operations, concepts can also require that certain functions be supported or class members exist. For example, the concept `Container` requires that its models implement a `size()` method. Additionally, concepts may require certain associated types be defined (e.g. a `size_type` for the value returned by a call to a `Container`'s `size()` method). Lastly, the documentation for a concept may also state that certain invariants must be satisfied (e.g. identity or transitivity), but these are assumed to be the case, and no actual verification occurs. Concepts can be defined as a refinement of any number of previously existing concepts. A refined concept adopts the requirements defined by the concepts that it is refining. For instance, the concept `ForwardContainer` is a refinement of the concepts `Container`, `EqualityComparable`, and `LessThanComparable` (if its elements model `LessThanComparable`). That is, a `ForwardContainer` is a `Container` that also requires that its elements be comparable to one another.

In order to produce an extension to the C++ language that captures what these concepts do, we have to provide a formalism that allows us to understand concepts independently of their realizations. It would be a mistake to begin with a deconstruction of the syntax and semantics of STL concepts, because we are less interested in what they are; rather, we seek to describe what they are meant to be. We ought to begin with seeing the task of identifying and expressing concepts as a problem domain that happens to intersect with the task of generic programming. This domain is not complete or self-contained as we cannot speak of constraints on types without dealing with the particulars of some type system. However, concepts, as entities in their own right, can be reasoned about. Following the work of van Deursen and Klint [13], we shall




Fig. 1. FDL Diagram for Concepts

give a formal description of STL concepts using the Feature Description Language (FDL). From attempting to derive a formal description of concepts from our informal description, we can discern several truths. First, concepts cannot be anonymous. They must exist prior to and independently of the circumstances in which they are used, and therefore must be named. Second, concepts must have one or more generic type parameters. Concepts connect constraints to types, and a concept that does not do this is an invalid concept. Third, concepts are allowed to have no constraints, that is, they can be empty. A concept with no constraints is trivially satisfied; all types are models of an empty concept. This may seem puzzling at first, but consider that a concept that introduces no new constraints can still be useful if that concept is a refinement of two or more concepts, because it implicitly expresses the union of those concepts. Fourth, a concept may refine one or more other concepts. To refine a concept is to implicitly add its constraints to the concept. Lastly, comparing the informal description of STL concepts and the diagram shown in Fig. 1, one may note that invariants are not listed as a feature of concepts, and this is deliberate. Invariants are the consequences of satisfying both the syntactic and semantic requirements of a concept. To state that invariants are a feature of concepts means that there exists some has-a relationship between the two, when in fact this is not the case. For example, the STL documentation states that the reflexivity of the `==` operator is an invariant of the concept `EqualityComparable`, that is, `x == x` for all `x` of type `T` that is a model `EqualityComparable`. From a mathematical perspective, the invariant naturally follows if we assume the conventional definition of equality. However, in that C++ is a language that allows for operator overloading, knowing that a type supports the `==` and `!=` operators does not tell us whether those operators behave in some prescribed way. From this, we can conclude that there must be a limit to the enforceability of concepts with regards to their semantics. At the very least, finding the means to do so goes beyond the scope of this paper.

### IV. CONCEPTS

In SimpleConcepts, concepts are first-class representations of constraints on type parameters of templates. The concepts of SimpleConcepts obviate the need to use template metaprogramming to specify what a template requires of its type

```
concept EqualityComparable<typename T> {
    bool T::operator==(T rhs);
    bool T::operator!=(T rhs);
}
```

Fig. 2. SimpleConcepts concept definition

```
template<typename R> requires EqualityComparable<R>
bool foo(R x, R y) { /* ... */};
```

Fig. 3. Requires clause

parameters. We designed SimpleConcepts with the following goals in mind:

- 1) To provide the same functionality as STL concepts while allowing programmers to write concept code that preserves readability and allows the compiler to produce meaningful error messages.
- 2) To make our extension to the C++ language as lightweight and undemanding as possible, providing more expressive power yet preserving the efficiency of template programming.

A concept definition consists of a declaration and a body containing concept member specifications. Fig. IV depicts the definition of the concept EqualityComparable.

A concept definition establishes what it means for a type T to be comparable for equality. Once a concept has been defined, it can be used in template code by means of a "requires" clause as is shown in Fig. IV. The requires clause places a restriction on the type R to being one which supports the == and != operators. Attempting to use the function foo with any x and y of a type that does not support these operators will lead to a compile-time error, informing the programmer that the EqualityComparable concept was not satisfied.

## V. IMPLEMENTATION

As was stated previously, a major consideration in the design of SimpleConcepts was to produce an undemanding extension, one that did not require significant overhaul or that could break existing code. Our approach can be summarized as follows. First, the source code is parsed according to an island grammar that allows us to identify SimpleConcepts features [14]. These constructs are then translated to existing C++11 features, and the resulting source code is passed to an ordinary compiler. There are several advantages to this approach. First, this approach allows us to handle both the syntactic and semantic analysis of concepts without need to modify an existing compiler. Second, using an island grammar allows us to analyze the syntax of concepts in a context-free fashion. Lastly, by means of translational semantics, we are able to express the meaning of concepts in terms of language features whose semantics are already well-known. The remainder of this section addresses the details of this compilation model.

### A. Abstract Syntax of SimpleConcepts

SimpleConcepts extends the C++ language to provide two new language constructs: concepts and constrained templates. A concept specifies a set of member function declarations and

```
concept Flammable<typename T>{
    double T::burn();
}
template<typename V> requires Flammable<V>
void makeCampfire(V v){
    double heat = v.burn();
    /*...*/
}
```

Fig. 4. Example of SimpleConcepts in action

```
template<typename T>
struct Flammable {
    Flammable_Requirements<T> rq0;
}
template<typename V>
void makeCampfire(V v){
    while(false) { Flammable<V>(); }
    /*...*/
    double heat = v.burn();
    /*...*/
}
```

Fig. 5. The first layer of the translation

associated types, and a list of other concepts that are refined by it. A constrained template is one that has a concept requirement clause, dictating what restrictions are placed on the template's parameters. Table I gives the abstract syntax and the syntactic domains for SimpleConcepts.

### B. Concrete Syntax of SimpleConcepts

An island grammar is a context-free grammar which describes some subset of the features of a language and uses catch-all productions to ignore all else; the name of this technique is derived from the view that the features we are interested in capturing with the grammar are "islands" amidst a vast sea of other language features. In this case, we are only interested in parsing concept definitions and their uses so that we can perform the necessary translations, and therefore a grammar that allows us to identify salient features while skipping the rest is ideal. Table II gives an EBNF grammar for SimpleConcepts.

### C. Summary of Translation Model

Our approach is based on the work done by Valentin and Magne [15], which describes a means of converting ConceptC++ code to pure C++03 code by translating the concepts of ConceptC++ into sets of class templates. Here we shall use a toy problem as a vehicle to explore the translation scheme. Consider the code fragment in Fig. V-C.

A type T models the concept Flammable if it has a member function called burn that takes no arguments and returns a double. In other words, Flammables burn, and burning produces an amount of heat expressed as a double. Below the concept definition we see an example of a function template that uses the concept Flammable. We shall describe, step by step, the translation process. The translation from concept code results in what can be seen as three distinct layers of template code. Fig. V-C shows the first layer of the translation.

The struct Flammable has, as a member, another struct representing the requirements associated with the concept

TABLE I. ABSTRACT SYNTAX AND SYNTACTIC DOMAINS OF SIMPLECONCEPTS

Type Variables	$\alpha \in TyVar$
Concept Names	$s \in CName$
Member Names	$f, a_t \in MemName$
Concept	$C \in \mathbb{C} := concept_{C_{id}} \{B\}; \  concept_{C_{id}} requiresR \{B\}$
Concept Identifier	$C_{id} := s < P >$
Concept Parameters	$P := \alpha P \  \alpha$
Refinement Clause	$R := C_{id} R \  C_{id}$
Concept Body	$B := MB \  \epsilon$
Concept Member	$M := f func; \  typename a_t$
Constrained Template	$T \in \mathbb{T}_c := template < params > requires R template - body$

Here  $\mathbb{C}$  refers to the set of all concepts, and  $\mathbb{T}_c$  refers to the set of all constrained templates.

TABLE II. CONCRETE SYNTAX OF SIMPLECONCEPTS

<code>&lt;concept-id&gt; := &lt;concept-name&gt; "&lt;" &lt;concept-parameter list&gt; "&gt;"</code>
<code>&lt;concept-name&gt; := <b>&lt;identifier&gt;</b></code>
<code>&lt;concept-definition&gt; := "concept" &lt;concept-id&gt; &lt;requires-clause&gt;? &lt;concept-body&gt; ";"</code>
<code>&lt;concept-body&gt; := "{" &lt;concept-member-specification&gt;? "}"</code>
<code>&lt;concept-member-specification&gt; := &lt;concept-member-specifier&gt; &lt;concept-member-specification&gt;?</code>
<code>&lt;concept-member-specifier&gt; := &lt;associated-function&gt;   &lt;associated-type&gt;</code>
<code>&lt;associated-function&gt; := <b>&lt;function-definition&gt;</b></code>
<code>&lt;associated-type&gt; := <b>&lt;typename-specifier&gt;</b></code>
<code>&lt;requires-clause&gt; := "requires" &lt;requirement-list&gt;   "requires" "("   &lt;requirement-list&gt; ")"</code>
<code>&lt;requirement-list&gt; := &lt;requirement&gt; "&amp;&amp;" &lt;requirement-list&gt;   &lt;requirement&gt;</code>
<code>&lt;requirement&gt; := &lt;concept-id&gt;</code>
<code><b>&lt;declaration&gt;</b> := &lt;concept-definition&gt;</code>
<code><b>&lt;template-declaration&gt;</b> := "template" "&lt;" &lt;template-parameter-list&gt; "&gt;" &lt;requires-clause&gt;?</code>
<code>&lt;concept-parameter list&gt; := <b>&lt;template-parameter-list&gt;</b></code>

Non-terminals that refer to pre-existing C++11 features are in bold for clarity.

```
CREATE_MEMBER_FUNC_SIG_CHECK(burn, double (T::*)(void));
template<typename T>
struct Flammable_Requirements {
    static_assert(has_member_func_burn<T>::value,
        "The member function 'burn' is not available"
        " or does not match signature.");
};
```

Fig. 6. The second layer of the translation

Flammable. The requirements are separated from the concept itself in order to support refinement; a concept that refines another concept "inherits" the requirements from its ancestor, and the ancestor's requirements struct is listed there as well. Attempting to instantiate the Flammable template will require the instantiation of the template Flammable\_Requirements. If that instantiation fails, the code will fail to compile. To implement constraints on template functions, we cause trigger the instantiation of Flammable in the template function as seen in the template function code. The call to the constructor of Flammable is placed in an unreachable block of code to guarantee that no run-time overhead will result. Now we examine the second layer of the translation: expressing the requirements enumerated by a concept. A Requirements struct contains a set of static assertions that express the requirements that must be fulfilled by a type or set of types in order to model a concept. These assertions are checked when the compiler attempts to instantiate the Flammable\_Requirements template. The code that we generate for the definition of Flammable\_Requirements is provided in Fig. V-C.

The macro `CREATE_MEMBER_FUNC_SIG_CHECK`

provides template code necessary to check the existence of a member function that matches both the name and the signature specified by the concept. The instantiation of `has_member_func_burn` will always succeed, but its member 'value' will be true if and only if T has a burn method that matches the signature specified in the concept definition. This, in turn, determines whether the corresponding static assertion succeeds or fails. The code generated by the pre-processor is shown in Fig. V-C.

This then is the third and innermost layer of the translation. Our mechanism verifies the existence of the member function burn in a way that gives a true or false value which is used in the static assertion. This allows us to report meaningful error messages.

#### D. Semantics of SimpleConcepts

We shall describe the translational semantics of SimpleConcepts. In that concepts and constrained templates are ultimately converted to template code, the semantics of concepts are a subset of the semantics of templates. With that in mind, we adapt the work done by Siek and Taha [16] to provide formalisms to describe the semantics of C++ templates. By providing a mapping from the abstract syntax of SimpleConcepts to that of C++ template code, we can then make the jump to the semantics. We represent our translation function as a set of functions that map SimpleConcepts code to C++11 code. The first subset of these translation functions, defined in Fig. V-D, describes the translation of concepts and their members (note that  $\mathbb{T}$  refers to the set of all C++11 templates).

```

template<typename T, T>
struct match_signature : std::true_type {};
template<typename T, typename = std::true_type>
struct has_member_func_burn : std::false_type {};
template<typename T>
struct has_member_func_burn<T, std::integral_constant < bool, match_signature<fSig, &T::fName>::value >> : std::true_type {}
    
```

Fig. 7. The innermost layer of the translation.

$$\begin{aligned}
 F_C(C \in \mathbb{C}) &= \{C_{id} \{\{requirements_{C_{id}} \langle P \rangle\} \\
 &\quad \cup \{requirements_{s_r} \langle P_r \rangle \forall r \in R\} \in \mathbb{T}, requirements_{C_{id}} \langle P \rangle \{F_{m1}(B)\} \in \mathbb{T}, F_{m2}(B)\} \\
 F_{m1}(B) &= \{static\_assert(has\_member\_func\_fname \langle P \rangle :: value, errormsg) \forall f \in R\} \cup \{typedef\_a_t \forall a_t \in R\} \\
 F_{m2}(B) &= \{CREATE\_MEMBER\_FUNC\_SIG\_CHECK(fname, fsignature) \forall f \in B\}
 \end{aligned}$$

Fig. 8. A formal description of the translation function

```

// function member checking template macros here,
// one for each associated function f ∈ B
template<P>
struct ConceptName_Requirements {
    // A list of static assertions, one for each associated function f ∈ B,
    // and a list of typedefs, one for each associated type definition a_t ∈ B
};
template<P>
struct ConceptName {
    ConceptName_Requirements<P> rq_c;
    id_0_Requirements<P_0> rq_0;
    // ... for every concept refined by this concept ...
    id_n_Requirements<P_n> rq_n;
};
    
```

Fig. 9. Summary of the output of the translation function

In terms of the concrete syntax, this translation amounts to the code fragment depicted in Fig. V-D.

The second subset of the translation functions transform constrained function and class templates into C++11 legal templates. These can be summarized as follows: for a constrained function template, our translation moves the concept requirements into the body of the function as calls to constructors; for a constrained class template, the concept structs are made members of the class. The result of this translation scheme is that instantiations of constrained class templates amount to a chain of instantiations that perform the necessary checks to confirm that the types involved are models of the concepts required. Concept instantiations lead to requirement template instantiations, and those in turn lead to member function checking template instantiations. With that, the only way to make use of a constrained template class or function is to supply it with valid types, or compile-time errors will result. As for the concepts themselves, whose capabilities are limited to checking the existence of function members, we know that our translation does exactly that and nothing more.

## VI. RELATED WORK

As has been stated in previously, the absence of concepts in C++ is not a new problem; each attempt at a solution has built upon the groundwork laid by predecessors. In this section, we shall attempt to compare and contrast past and current approaches with SimpleConcepts.

### A. Concepts Lite

At this time, there exists another proposal to provide support for C++ concepts by Sutton and Stroustrup known as Concepts Lite [17] [18]. In this section, we shall attempt to compare and contrast that approach with SimpleConcepts.

Sutton and Stroustrup, the creators of Concepts Lite, have summarized their vision as "concepts = constraints + axioms" [19]. Concepts are abstract predicates that represent sets of requirements on generic types. These requirements can either be constraints or axioms. Constraints are syntactic requirements on the properties of generic types, which are checked at compile-time, and axioms are semantic requirements, analogous to the invariants of the STL documentation. As of the latest proposal, Concepts Lite supports constraints, but does not yet support axioms or concepts. With the understanding that the specifics of this proposal may be changed in the near future, we note the key differences between the two approaches.

First, while both SimpleConcepts and Concepts Lite share a similar notion of constraints, they differ greatly in terms of their implementation. In Concepts Lite, a constraint predicate is defined as a function template that contains a constant expression, referred to as a "use pattern". A type or set of types satisfies a constraint if the template can be legally instantiated, which is to say that the constant expression is valid. For example, a type  $T$  is Addable provided that for expression  $a + b$  is valid for any  $a$  and  $b$  of type  $T$ . In the syntax of Concepts Lite, this constraint might be expressed as follows:

```

template <typename T>
constexpr bool Addable() { return
    __is_valid_expr{bool={declval<T>() +
    declval<T>()}} }
    
```

This approach differs from that of SimpleConcepts in three ways. First, Concepts Lite decouples concepts and constraints, which allows us to define Addable as a stand-alone constraint; in SimpleConcepts, which keeps constraints and concepts coupled, Addable would be expressed as a concept with a single constraint member. Second, Concepts Lite requires extensions to the compiler to support new intrinsics such as `__is_valid_expr`; SimpleConcepts uses a preprocessor to

lower concepts to existing C++11. Third and most importantly, whereas Concepts Lite uses constant expressions to define constraints, SimpleConcepts relies on function signatures.

Next, in contrast to Concepts Lite, this paper rejects the inclusion of axioms in its definition of concepts as going outside of the role that concepts are intended to fulfill, which is to provide compile-time support for templates. According to its authors, axioms are not statically evaluable, which implies that the question of whether a generic type truly models a concept, both syntactically and semantically, cannot be decided at compile-time. While we recognize the fundamental relationship between the two kinds of requirements, and we appreciate the simplicity and beauty of an approach that unifies them, we do not see a pressing need to incorporate axioms.

### B. ConceptsC++

SimpleConcepts draws inspiration from the ConceptsC++ proposal, and in a certain sense can be seen as an evolution of it. In ConceptsC++, as in SimpleConcepts, concepts are sets of requirements, which can be expressed as signatures and associated types, and these concepts can be refined from other concepts, and they can be imposed upon generic types through the use of requirement clauses. Key to ConceptsC++ is its emphasis on retroactive modeling, that is, the ability to extend types to model concepts without modifying those types. This is accomplished through the use of concept maps, which detail how a type satisfies the requirements of a concept; concept maps can contain implementations of the functions required by the concept, either providing new functionalities or overriding existing ones. In contrast, SimpleConcepts does not support retroactive modelling, and does not support concept maps. There are also several other differences between the two approaches, which we shall list here:

- ConceptsC++ allows for non-member associated functions. The implementations of these functions can either be defined via a concept map or a default implementation can be provided in the concept itself. SimpleConcepts, meanwhile, requires that all associated functions be member functions.
- ConceptsC++ distinguishes between refinement clauses, and associated requirements, both of which allow a concept to "inherit" requirements from other concepts. In SimpleConcepts, no such distinction is made; a concept can have a requires clause that lists all of the other concepts that it draws requirements from.
- ConceptsC++ supports axioms. As was explained in the previous subsection, SimpleConcepts does not support this language feature.

## VII. DISCUSSION

Our approach is not without limitations. Most notably, when translating refined concepts or constrained templates, it is assumed that the concepts that are being refined or used already exist, but this is not guaranteed to be the case. Referencing a non-existent concept will lead to a compile-time error, but that error is reported in terms of the translated code rather than the original source code, which could be problematic.

## VIII. CONCLUSION AND FUTURE WORK

It has been shown that C++ lacks language support to specify constraints on generic types, and that this lack is the underlying cause of many difficulties for both the users and developers of generic libraries. To that end, we introduced SimpleConcepts, an extension to the C++ language to provide such support. Our approach uses source-to-source transformations to provide an extension that is intended to be compatible with pre-existing C++11 compilers, while providing simple but powerful abstractions to aid in the design and use of C++ template libraries.

Moving forward, if the completed Concepts Lite is incorporated into the next iteration of the C++ language, then we shall turn our attention towards providing a formal analysis of such C++ concepts. In the short term, we hope to release a compiler front-end to provide experimental support for SimpleConcepts.

## REFERENCES

- [1] B. Stroustrup, *The C++ programming language; 4th ed.* Addison-Wesley, 2013.
- [2] A. Stepanov and P. McJones, *Elements of Programming.* Addison-Wesley, 2009.
- [3] M. Austern, *Generic programming and the STL: using and extending the C++ Standard Template Library.* Addison-Wesley, 1998.
- [4] D. Gregor, B. Stroustrup, J. Järvi, and G. D. Reis, "Concepts: Linguistic support for generic programming in C++," in *SIGPLAN Notices*. ACM Press, 2006, pp. 291–310.
- [5] D. Kapur, D. R. Musser, and A. Stepanov, "Tecton: A framework for specifying and verifying generic system components," 1983.
- [6] A. Stevens, "Al Stevens interviews alex stepanov," 1995.
- [7] D. Musser, "Syntax of the tecton language," 1998.
- [8] B. Dawes, "Proposal for a C++ library repository web site," 1998. [Online]. Available: <http://www.boost.org/users/proposal.pdf>
- [9] J. Siek and A. Lumsdaine, "C++ concept checking: A better practice for C++ programming," 2001.
- [10] L. Voufo and A. Lumsdaine, "A uniform terminology for C++ concepts," Indiana University Technical Report, Tech. Rep. TR 703, January 2013.
- [11] D. Gregor and B. Stroustrup, "Proposed wording for concepts (revision 3)," no. N2421=07-0281, 10/2007 2007. [Online]. Available: <http://www.open-std.org/JTC1/sc22/wg21/docs/papers/2007/n2421.pdf>
- [12] D. Kaley, "Bjarne stroustrup expounds on concepts and the future of C++," 2009.
- [13] A. van Deursen and P. Klint, "Domain-specific language design requires feature descriptions," *Journal of Computing and Information Technology*, vol. 10, p. 2002, 2001.
- [14] L. Moonen, "Generating robust parsers using island grammars," in *The 8th Working Conference on Reverse Engineering*. IEEE Computer Society Press, 2001, pp. 13–22.
- [15] D. Valentin and H. Magne, "Concepts as syntactic sugar," in *SCAM*, 2009, pp. 147–156.
- [16] J. Siek and W. Taha, "A semantic analysis of C++ templates," 2006.
- [17] B. Stroustrup, A. Sutton, L. Voufo, and M. Zalewski, "A concept design for the STL," ISO/IEC JTC1/SC22/WG21—The C++ Standards Committee, Tech. Rep. N3351=12-0041, January 2012.
- [18] A. Sutton and B. Stroustrup, "Concepts lite: Constraining templates with predicates," 2013.
- [19] —, "Design of concept libraries for C++," in *Proceedings of the 4th international conference on Software Language Engineering*, ser. SLE'11. Berlin, Heidelberg: Springer-Verlag, 2012, pp. 97–118.